PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION



PCI	Intern	ational Bureau
INTERNATIONAL APPLICATION PUBLIS	HED U	JNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification 6:		(11) International Publication Number: WO 99/11639
C07D 301/32	A1	(43) International Publication Date: 11 March 1999 (11.03.99)
 (21) International Application Number: PCT/EP (22) International Filing Date: 28 August 1998 (22) International Filing Date: 28 August 1998 (23) Priority Data: 08/926,420 2 September 1997 (02.09.9) (71) Applicant (for all designated States except MN): CHEMICAL TECHNOLOGY, L.P. [US/US Greenville Crossing, Suite 238, 4001 Kenr Greenville, DE 19807 (US). (71) Applicant (for MN only): ARCO CHEMIE TECHN NEDERLAND B.V. [NL/NL]; Theemsweg 14, Botlek Rotterdam, P.O. Box 7195, NL-3000 HD (NL). (72) Inventors: RUETER, Michael, A.; 350 Maiden Lartown, PA 19401 (US). JUBIN, John, C., Jr.; 14 House, West Chester, PA 19382 (US). (74) Agent: SMAGGASGALE, Gillian, Helen; Mathys 100 Grays Inn Road, London WC1X 8AL (GB). 	(28.08.9 7) ARC S]; Tv nett Pil NOLOG 3197 K Rotterd ne, Nomi	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MY, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TI, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
(54) Title: SEPARATION OF METHANOL AND PRO (57) Abstract Propylene is separated from the methanol present distillation wherein a relatively heavy polar solvent havi solvent. The method is also useful for removing water an	as a s	olvent in a crude olefin epoxidation product by means of an extractive roxy groups such as water or propylene glycol is used as the extractive

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AŁ	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

SEPARATION OF METHANOL AND PROPYLENE OXIDE FROM A REACTION MIXTURE

FIELD OF THE INVENTION

This invention provides a method of recovering propylene oxide in purified form from an epoxidation reaction mixture which additionally contains methanol. Such mixtures may be formed by epoxidizing propylene with hydrogen peroxide using a titanium-containing zeolite as a catalyst and methanol as a reaction solvent. A hydroxy group-containing polar solvent such as water or propylene glycol is used as an extractive solvent in a distillation column so as to enhance the difference in volatility between propylene oxide and methanol, thereby permitting propylene oxide to be withdrawn as an overhead stream from the column. The extractive distillation may also be operated to reduce the level of other undesirable impurities such as water and acetaldehyde in the propylene oxide.

15

20

5

10

BACKGROUND OF THE INVENTION

In recent years, the production of propylene oxide from propylene using hydrogen peroxide as an oxidant and a titanium-containing zeolite as a catalyst has been proposed. Methanol is a particularly preferred reaction solvent for such purposes, as it tends to promote high catalyst activity and selectivity. Epoxidation processes of this type are described, for example, in U.S. Pat. Nos. 5,591,875, 4,833,260, 5,621,122, 5,646,314, and 4,824,976, EP Publ. No. 0732327, and Clerici et al. J. Catalysis 129, 159-167 (1991), the teachings of which are incorporated herein by reference in Although such processes are capable of providing their entirety. exceptionally high selectivity to propylene oxide, the crude reaction product thereby obtained typically contains only about 2 to 10 weight percent propylene oxide with the balance being predominantly methanol. However, propylene oxide and methanol normally have similar boiling points and thus can be difficult to separate quantitatively, especially where methanol is present in large excess. Minor quantities of certain by-products such as

30

5

10

15

20

25

2

acetaldehyde are inevitably formed during epoxidation and subsequent processing. Since a satisfactory propylene oxide for commercial purposes should contain less than 100 ppm, and preferably less than 20 ppm, acetaldehyde, the development of methods for reducing the level of acetaldehyde by-product in such reaction mixtures is necessary. In addition, epoxidation processes of this type form water as a co-product, with the water being derived from the hydrogen peroxide oxidant. Depending upon the method used to generate the hydrogen peroxide to be used in the epoxidation, water may also be present in the feed to the reactor. While epoxidation processes catalyzed by titanium-containing zeolites are remarkably tolerant of water, it will be necessary for most commercial purposes to obtain propylene oxide in substantially anhydrous form. Thus, it is apparent that there is a need to develop purification methods capable of efficiently removing methanol, water and acetaldehyde simultaneously from a crude epoxidation reaction product when propylene oxide is present at a relatively low concentration.

SUMMARY OF THE INVENTION

We have now found that a crude epoxidation reaction product comprised of propylene oxide and methanol may be purified by the following process. The crude epoxidation reaction product is introduced into an intermediate section of an extractive distillation zone, while also introducing a polar solvent having a hydroxy functionality and a boiling point higher than that of methanol into an upper section of the extractive distillation zone. Propylene oxide is distilled overhead from said extractive distillation zone, with a bottoms stream comprised of methanol and the polar solvent withdrawn from a lower section. The process can be operated such that the water and at least a portion of the acetaldehyde present in the crude epoxidation reaction product are extracted into the polar solvent and removed in the bottoms stream.

3

DESCRIPTION OF THE DRAWING

Figure, 1 to be explained in more detail hereafter, illustrates in schematic form an embodiment of the invention.

DETAILED DESCRIPTION OF THE INVENTION

The crude epoxidation reaction product treated in accordance with the process of this invention is typically obtained by epoxidizing propylene with hydrogen peroxide or an equivalent thereof in a reaction medium where methanol is used as a solvent. Any unreacted propylene which may be present may be first largely or entirely removed by subjecting the crude epoxidation reaction product to an initial separation or fractionation using conventional distillation methods. For example, the propylene may be removed overhead using a flash drum or the like. The epoxidation catalyst, which may be, for example, a titanium-containing zeolite such as titanium silicalite, is preferably also separated by filtration or other such means from the crude epoxidation reaction product prior to processing in accordance with the present invention.

Depending upon the epoxidation conditions employed and the extent of propylene removal in the initial separation step, the crude epoxidation reaction product typically will have a composition comprised of the following components, in percent by weight:

	propylene oxide	2-10
	methanol	50-85
	acetaldehyde	0.01-0.1
	water	10-30
25	propylene glycol	0.1-20
	other glycols and heavies	0-1
	propylene and/or propane	0.01-0.1

The propylene glycol concentration range shown above includes the embodiment of the invention wherein propylene glycol is utilized as the polar solvent in the extractive distillation step and the propylene glycol recovered in the bottoms stream is incompletely separated from the methanol prior to

5

10

15

WO 99/11639

5

10

15

20

25

30

4

PCT/EP98/05470

recycling the methanol for use in epoxidation. Typically, the amount of propylene glycol actually generated as a by-product of epoxidation will represent less than 1 weight % of the crude epoxidation reaction product. If a glycol other than propylene glycol or another heavy component is utilized as the polar solvent in the aforedescribed embodiment, then the concentration of said polar solvent in the crude epoxidation reaction product will be higher than the range shown in the above table.

The extractive distillation is suitably carried out in any convenient distillation column or tower appropriate for the distillation of propylene oxide and methanol. For best results, the extractive distillation zone should contain at least 10 theoretical plates and ordinarily will contain 20 to 60 theoretical plates. The maximum number of theoretical plates is limited only by economic considerations. A single distillation column or tower is usually preferred for economic reasons, but the use of multiple distillation columns to accomplish the same result is not excluded.

The polar solvent to be supplied to the extractive distillation zone is a compound containing one or more hydroxy (-OH) functional groups and having a boiling point higher than that of methanol. In addition to water, suitable classes of polar solvents include, but are not limited to, glycols and glycol ethers. Glycols containing from 2 to 6 carbon atoms and oligomers thereof (e.g., dimers, trimers and tetramers) are generally suitable for use. Illustrative glycols include ethylene glycol, propylene glycol, diethylene glycol, dipropylene glycol, 1,4-butanediol, 2-methyl-1,3-propanediol, neopentyl glycol and the like and oligomers thereof. Illustrative glycol ethers include the C₁-C₈ alkyl ethers of propylene glycol, ethylene glycol and oligomers thereof such as di- and tripropylene glycol and di- and triethylene glycol. Mixtures of polar solvents (e.g., aqueous propylene glycol) could also be utilized. The amount of polar solvent supplied to the extractive distillation zone should be sufficient to achieve the desired degree of separation of methanol and other impurities such as acetaldehyde and water from the

WO 99/11639

5

PCT/EP98/05470

propylene oxide. This amount will vary, of course, depending upon a number of factors, including the identity of the polar solvent, but generally will be at least about 5%, based on the weight of the crude epoxidation reaction product. Typically, the polar solvent is fed to the extractive distillation zone at a rate (on a weight basis) which is from 5 to 35 percent of the feed rate of the crude epoxidation reaction product. Where propylene glycol is used as the extractive solvent, the amount of propylene glycol introduced is preferably 10 to 30 weight % of the crude epoxidation reaction product. The optimal amount will be dependent upon the propylene glycol concentration in the crude epoxidation reaction product (e.g., more propylene glycol in the reaction product will generally mean that less additional propylene glycol will need to be introduced and vice versa). The feed point for the polar solvent should be between the crude epoxidation reaction product feed point and the point at which the overhead stream comprising propylene oxide is withdrawn from the extractive distillation zone. This will help to minimize contamination of the propylene oxide by the polar solvent. Preferably, the polar solvent is introduced to the extractive distillation zone at a point not less than 2 theoretical plates below the overhead stream withdrawal point.

20

5

10

15

The point at which the crude epoxidation reaction product is introduced is an intermediate section of the extractive distillation zone, preferably from about 40% to 70% of the distance, in terms of theoretical plates, from the bottom to the top of the extractive distillation zone.

25

A suitable reflux/distillate ratio (molar) is important in achieving optimum results and generally will be in the range of from 5:1 to 15:1. The pressure under which the extractive distillation is operated is suitably around atmospheric pressure, e.g., from about 8 up to about 50 psia. The bottoms (reboiler) temperature will, of course, vary with the pressure but will typically be within the range of 90°C to 120°C.

30

The extractive distillation conditions are selected so as to provide an

10

15

20

25

30

overhead stream comprised predominately of propylene oxide. preferred embodiment, at least 95 weight % (more preferably at least 98 weight %) of the overhead stream is propylene oxide. The overhead stream will preferably contain less than 0.5 weight percent water (more preferably less than 0.05 weight percent water) and less than 1 weight percent methanol (more preferably, less than 0.2 weight percent methanol). The bottoms stream withdrawn from the extractive distillation will contain all or essentially all (i.e., 99+%) of the polar solvent (including any water present in the crude epoxidation reaction product) and a preponderance of the methanol (e.g., 99+%) originally present in the crude epoxidation reaction product. Depending upon the extractive distillation conditions selected, varying amounts of the acetaldehyde will be removed in the bottoms stream (e.g., 50 to 98%) while still achieving the desired separation of propylene oxide from methanol. For example, adjustments in reflux ratio, number of theoretical trays, overhead cut point and extractive solvent flow will change the acetaldehyde distribution.

In the accompanying drawing (Figure 1) there is illustrated diagrammatically a representative system for carrying out the extractive distillation process of this invention. Thus, referring to the drawing, the reference numeral 1 designates the line for feeding the crude epoxidation reaction product to be treated to an extractive distillation zone 2. Heat may be supplied to the column or tower comprising the extractive distillation zone by means of a reboiler. A polar solvent is supplied as the extractive distillation solvent through line 3. The bottoms stream comprising methanol and other substances which are less volatile than propylene oxide under the extractive distillation conditions such as water and at least a portion of the acetaldehyde is withdrawn through line 4. The purified propylene oxide is removed in vapor form as an overhead stream via line 5. Further purification of the overhead stream may be performed. For example, if the overhead stream still contains unacceptably high levels of propane, propylene,

7

acetaldehyde or other relatively light impurities, it may be introduced into an intermediate section of fractionator 6 and subjected to fractional distillation. The light impurities are withdrawn overhead through line 7, while a bottoms stream of repurified propylene oxide is withdrawn by way of line 8. An advantage of the present process is that fractionator 6 may be significantly reduced in size (and thus cost) as compared to the fractionator which would be required if the reaction mixture was directly subjected to fractional distillation rather than an initial extractive distillation. A further advantage is that fractionation of the acetaldehyde and propylene oxide is accomplished much more easily in the absence of methanol; the present process thus facilitates complete acetaldehyde removal by providing an overhead stream which is essentially free of methanol.

Subsequent to the removal of volatile components in fractionator 6, the propylene oxide obtained as a bottoms stream may, if so desired, be subjected to still further purification steps. For example, for many commercial applications the concentrations of impurities such as methanol, water and other low molecular weight oxygenates should be reduced to very low levels. This can be accomplished by any of the conventional methods known in the art such as, for instance, the extractive distillation procedures described in U.S. Pat. No. 5,000,825 (Shih et al).

The methanol in the bottoms stream may advantageously be recycled for use as the reaction solvent in an olefin epoxidation process, preferably after at least partial separation from the polar solvent by distillative means or the like. The separated polar solvent may likewise be recycled for further use in the present extractive distillation process. For example, the bottoms stream may be fed through line 4 to an intermediate section of fractionator 9 and subjected to fractional distillation. Methanol and other components of the bottoms stream which are more volatile than the polar solvent are removed overhead from fractionator 9 via line 10. The polar solvent recovered in the bottoms stream is returned to extractive distillation zone 2

25

5

10

15

10

15

20

8

through line 3. The extractive distillation process described in application Ser. No.______, filed August 15, 1997 (Attorney's Docket No. 01-2467A) may be utilized to remove at least a portion of any residual acetaldehyde from the methanol prior to its reuse in epoxidation if so desired.

While it is possible to completely separate the polar solvent from the methanol by distillation, it will often be economically advantageous to distill only a portion of the bottoms stream (with the remaining portion being fed directly back to the epoxidation reactor) since energy costs may thereby be reduced. The result will be that an appreciable amount of the polar solvent will be recycled to the epoxidation reactor together with the methanol. Ordinarily, however, this will not significantly affect the epoxidation results obtained since the polar solvents useful in the present purification process will be substantially inert under typical epoxidation conditions. It will, however, generally be desirable for the weight ratio of methanol to polar solvent in the epoxidation to be at least 2:1, more preferably at least 3:1.

EXAMPLES

Example 1

This example illustrates an embodiment of the process claimed herein wherein a crude epoxidation reaction product which has been subjected to an initial flash distillation to remove most of the unreacted propylene and which has the following composition is subjected to extractive distillation using propylene glycol as the polar solvent:

	Component	<u>Wt.%</u>
25	Propylene Oxide	6.8
	Methanol	61.3
	Water	24.2
	Acetaldehyde	0.039
	Propylene Glycol	6.7
30	Propylene & Propane	0.055
	Other Heavy Components	0.906

10

15

30

The crude epoxidation reaction product is fed to an extractive distillation tower containing 50 theoretical stages (including reboiler), the feed point being 19 stages from the top of the tower. Propylene glycol is fed to the 4th stage from the top of the tower at a flow rate which is 13.4% of the crude epoxidation reaction product flow rate on a weight basis. A purified propylene oxide product is taken as an overhead distillate. The propylene glycol extractive solvent is withdrawn from the bottom stage (reboiler), together with all, or nearly all, of the methanol and water as well as other relatively heavy components. The tower is operated at a reflux ratio (reflux-to-distillate) of 9. The pressure in the column condenser is set at 30 psia and the column operated with a pressure drop of 0.2 psi per tray, resulting in a bottom pressure of about 40 psia. The bottoms (reboiler) temperature is 104°C and the top (condenser) temperature is 51°C.

Under these conditions, 99.8% of the propylene oxide in the crude epoxidation reaction product fed to the tower is recovered in the overhead distillate product and 99.995% of the methanol, 97.9% of the acetaldehyde, and all of the water are recovered in the bottom stream. The compositions of the product streams are as follows:

•	Component	Distillate (wt.%)	Bottoms (wt.%)
20 .	Propylene Oxide	99.6	0.014
	Methanol	0.03	57.6
	Water	0	22.7
	Acetaldehyde	0.012	0.036
	Propylene Glycol	0	18.8
25	Propane & Propylene	0.9	0
	Other Heavy Components	. 0	0.85

Example 2

This example illustrates an alternative embodiment of the claimed process. A crude epoxidation reaction product which has been subjected to an initial flash distillation to remove most of the unreacted propylene and which has the following composition is subjected to extractive distillation using propylene glycol as the extractive solvent:

10

Component	Wt.%
Propylene Oxide	7.14
Methanol	50.8
Water	26
Acetaldehyde	0.0406
Propylene Glycol	15.1
Propylene & Propane	0.0576
Other Heavy Components	0.862

5

10

15

20

25

The crude epoxidation reaction product is fed to an extractive distillation tower containing 25 theoretical stages (including reboiler), the feed point being 13 stages from the top of the tower. Propylene glycol is fed to the third stage from the top at a flow rate which is 28% of the flow rate of the crude epoxidation reaction product feed on a weight basis. A purified propylene oxide product is taken as an overhead distillate. The propylene glycol extractive solvent is withdrawn from the bottom stage (reboiler), together with all or nearly all of the water and methanol as well as other components.

The tower is operated at a reflux ratio (reflux-to-distillate) of 9. The pressure in the column condenser is set at 30 psia and the column operated with a pressure drop of 0.2 psi per tray such that the bottom pressure is approximately 37 psia. Thus results in a bottoms (reboiler) temperature of 105°C and a top (condenser) temperature of 51°C.

Under these conditions, 99.5% of the propylene oxide in the crude epoxidation reaction product fed to the column is recovered in the overhead distillate product and 99.98% of the methanol, 100% of the water and 89.5% of the acetaldehyde is recovered in the bottoms stream. The compositions of the product streams are as follows:

	Component	Distillate (wt.%)	Bottoms (wt.%)
	Propylene Oxide	98.84	0.03
	Methanol	0.15	42
	Water	0	21.5
5	Acetaldehyde	0.06	0.03
	Propylene Glycol	0	35.7
	Propylene & Propane	0.95	0
	Other Heavy Components	0	0.74


We claim:

- 1. A method of purifying a crude epoxidation reaction product comprised of propylene oxide and methanol, said method comprising the steps of:
 - introducing the crude epoxidation reaction product into an intermediate section of an extractive distillation zone;
 - (b) introducing a polar solvent having a hydroxy functionality and a boiling point higher than that of methanol into an upper section of said extractive distillation zone;
 - (c) distilling propylene oxide overhead from said extractive distillation zone; and
 - (d) recovering a bottoms stream comprised of methanol and the polar solvent from a lower section of said extractive distillation zone.
- 2. The method of claim 1 wherein the polar solvent is selected from the group consisting of water, glycols, glycol ethers and mixtures thereof.
- 3. The method of claim 1 wherein the amount of the polar solvent introduced into the extractive distillation zone is at least 5 weight percent of the crude epoxidation reaction mixture.
- 4. The method of claim 1 wherein the crude epoxidation reaction product contains 2 to 10 weight percent propylene oxide and 50 to 85 weight percent methanol.
- 5. The method of claim 1 wherein the crude epoxidation reaction product is additionally comprised of acetaldehyde.
- 6. The method of claim 5 wherein the amount of polar solvent is effective to render the acetaldehyde less volatile than propylene oxide and to cause at least a portion of the acetaldehyde to be removed as part of the

bottoms stream.

- 7. The method of claim 1 wherein the intermediate section of the extractive distillation zone where the polar solvent is introduced is at least 2 theoretical plates below the point at which propylene oxide is withdrawn from the extractive distillation zone.
- 8. The method of claim 1 wherein the extractive distillation zone contains from 20 to 60 theoretical plates.
- 9. The method of claim 1 wherein the crude epoxidation reaction product is additionally comprised of water.
- 10. The method of claim 9 wherein the propylene oxide distilled overhead contains less than 0.5 weight percent water.
- 11. The method of claim 1 wherein the bottoms stream contains at least 99.9 percent of the methanol originally present in the crude epoxidation reaction product.
- 12. A method of purifying a crude epoxidation reaction product comprised of 2 to 10 weight percent propylene oxide, 50 to 85 weight percent methanol and 10 to 30 weight percent water, said method comprising the steps of:
 - (a) introducing the crude epoxidation reaction product into an intermediate section of an extractive distillation zone containing from 20 to 60 theoretical plates at a point which is from 40 to 70% of the distance in theoretical plates from the bottom to the top of the extractive distillation zone:
 - (b) introducing a polar solvent selected from the group consisting of water, glycols, glycol ethers and mixtures thereof into an upper section of said extractive distillation zone, in an amount which is at least 5 percent by weight of the crude epoxidation reaction product;

- (c) distilling propylene oxide overhead from said extractive distillation zone, wherein the propylene oxide so distilled contains less than 0.05 weight percent water and less than 0.2 weight percent methanol; and
- (d) recovering a bottoms stream comprised of methanol and the polar solvent from a lower section of said extractive distillation zone.
- **13.** The method of claim **12** wherein the polar solvent is propylene glycol.
- **14.** The method of claim **12** wherein the crude epoxidation reaction product is additionally comprised of acetaldehyde.
- 15. The method of claim 14 wherein from 50 to 98 percent of the acetaldehyde in the crude epoxidation reaction product is removed as part of the bottoms stream.
- **16.** The method of claim **12** wherein a reflux:distillate ratio of from 5:1 to 15:1 is utilized.
- 17. The method of claim 12 wherein the extractive distillation zone is operated at a pressure of from 8 to 50 psia and a bottoms temperature of from 90°C to 120°C.
- **18.** The method of claim **12** wherein the bottoms stream is subjected to fractional distillation wherein methanol is taken overhead and the polar solvent is recovered in a second bottoms stream.
- 19. The method of claim 18 wherein the methanol taken overhead is recycled for use in an olefin epoxidation process and the second bottoms stream is recycled for use in step (b).
- **20.** The method of claim **12** wherein the crude epoxidation reaction product is formed by epoxidizing propylene with hydrogen peroxide using a titanium-containing zeolite as a catalyst and methanol as a reaction solvent.



SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT International Application No

		PCT/EP 98	3/05470
A. CLASSIF	CO7D301/32		and the second s
	11.0 0 00/0301/32		
According to	International Patent Classification (IPC) or to both national classificat	on and IPC	
B. FIELDS			
Minimum doo IPC 6	cumentation searched (classification system followed by classification C07D	n symbols)	
Documentati	ion searched other than minimum documentation to the extent that suc	ch documents are included in the fields a	searched
Et	the beau again of the later at later at the later at late		
Electronic d	ata base consulted during the international search (name of data base	च चारा, where practical, search terms use	uj
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relev	vant passages	Relevant to claim No.
X.	EP 0 389 300 A (ARCO CHEMICAL TECHNOLOGY INC.) 26 September 1990 cited in the application see the whole document		1-3,5-11
X	US 3 578 568 A (WASHALL TA ET AL) 11 May 1971 see the whole document		1-3,5-11
X	GB 2 002 376 A (HALCON RESEARCH AND DEVELOPMENT CORPORATION) 21 February 1979 see the whole document		1-3,5-11
X	US 5 620 568 A (SMITH WA ET AL) 15 April 1997 see the whole document		1-3,5-11
		·/	
			dla access
	her documents are listed in the continuation of box C.	X Patent family members are liste	eu in annex.
"A" docume	ent defining the general state of the art which is not dered to be of particular relevance	"T" later document published after the ir or priority date and not in conflict wi cited to understand the principle or invention	ith the application but theory underlying the
"E" earlier document but published on or after the international "X" document of particular relevance; the cannot be considered novel or cannot "L" document which may throw doubts on priority claim(s) or involve an inventive step when the do		not be considered to	
which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed involve an inventive statement of particular relevance; the claimed involve an inventive statement of particular relevance; the claimed involve an inventive statement of particular relevance; the claimed involve an inventive statement of particular relevance; the claimed involve an inventive statement of particular relevance; the claimed inventive statement of particular relevance inventive statement of particula		e claimed invention Inventive step when the	
"O" document referring to an oral disclosure, use, exhibition or other means ments, such combination being obvious in the art.		rious to a person skilled	
later than the priority date claimed "&" document member of the same patent Date of the actual completion of the international search Date of mailing of the international search			
	22 December 1998	04/01/1999	
Name and	mailing address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016 Allard, M		

1

INTERNATIONAL SEARCH REPORT

International Application No PCT/EP 98/05470

	.*	PCI/EP 98/054/0
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 464 505 A (PETERS MW ET AL) 7 November 1995 see the whole document	1-3,5-11
X	US 5 453 160 A (PETERS MW ET AL) 26 September 1995 see the whole document	1-3,5-11
X	US 5 340 446 A (NELSON WP ET AL) 23 August 1994 see the whole document	1-3,5-11
X	US 5 160 587 A (MARQUIS ET ET AL) 3 November 1992 see the whole document	1-3,5-11
X	US 5 154 804 A (MARQUIS ET ET AL) 13 October 1992 see the whole document	1-3,5-11
X	US 5 154 803 A (MARQUIS ET ET AL) 13 October 1992 see the whole document	1-3,5-11
X	US 5 145 563 A (CULBRETH WK ET AL) 8 September 1992 see the whole document	1-3,5-11
X	US 5 139 622 A (MARQUIS ET ET AL) 18 August 1992 see the whole document	1-3,5-11
X	US 5 116 465 A (YEAKEY EL ET AL) 26 May 1992 see the whole document	1-3,5-11
		İ

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 98/05470

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C070301/32 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) CO7D IPC 6 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with Indication, where appropriate, of the relevant passages Relevant to claim No. Category * EP 0 389 300 A (ARCO CHEMICAL TECHNOLOGY 1-3,5-11X. INC.) 26 September 1990 cited in the application see the whole document US 3 578 568 A (WASHALL TA ET AL) 1-3,5-11 X 11 May 1971 see the whole document 1-3,5-11 GB 2 002 376 A (HALCON RESEARCH AND X DEVELOPMENT CORPORATION) 21 February 1979 see the whole document 1-3,5-11 US 5 620 568 A (SMITH WA ET AL) X 15 April 1997 see the whole document -/--Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: "I" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the International "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled "O" document referring to an oral disclosure, use, exhibition or "P" document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 04/01/1999 22 December 1998

1

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 Authorized officer

Allard, M